

DDL Equipment: Dock sealing systems

- Go to Specifile on-line
- Search Specifile
- [Click here to view supplier details](#)
- [See full brochure](#)

Specifile - Architectural Information Service - the source of South African building products and suppliers

THE FINEST DOCK SEALING SYSTEMS PERFECTLY ADAPTED - to conserve energy by 75%

1 DOCK CUSHION SEAL
Ideal sealing for distribution vehicles of uniform size and tracks fitted with roll up over doors. The tracks reverse up against and depress the cushion to form a perfect seal.
Mountings: The Dock Cushion Seal must be mounted onto a sturdy steel or concrete structure.

2 DOCK SHELTER - WEATHER GUARD
Consists of enveloping rubber flaps linked together. The rubber flaps are flexible and yield to the shape and envelop the reversing track, giving protection against the weather and outside elements.
Mountings: For a 600mm, three sided steel projection canopy.

3 DOCK SHELTER - CONTACT CURTAIN SEAL
Consisting of one (1) top and two (2) side contact curtains, which wrap around the reversing track, sealing off the top and sides. The unique spring mounts press the curtains firmly against tracks of various sizes. The bottom corners are sealed by filler cartridges. Added advantage is a larger depth door: 2800 x 2000, the double rear track doors can be opened into the warehouse.
Mountings: To a dock shelter with a 600mm ISO-panel projection, three sided dock canopy will offer the most economical seal.

4 DOCK SHELTER - INFLATABLE SEAL
The ultimate seal. Consists of one (1) top and two (2) side bellows which inflate once the high volume, low pressure motor/fan is switched on. The inflatable seals expand, forming the shape and moulds around the outside of the truck affording a perfect seal with all shapes and sizes of vehicles. The bellows retract once the fan is switched off.
Mountings: To a dock shelter with a 600mm ISO-panel projection, three sided dock canopy will offer the ultimate seal.

DOCK CUBICLE
In keeping with International trends where Docking Equipment is situated outside the warehouse in the form of an off-dock Dock Cubicle, whether on a steel free standing or concrete base, this is to accommodate the Dock Levelers, tail lifts and allow the trucks double rear doors to be opened once the vehicle has reversed into and against the cubicle. A four page description of the Dock Cubicle is available.

5 DOCK CUBICLE CONTACT CURTAIN SEAL
Is installed in front of the cubicle as in three (3), above and is made of ISO-panel three sided construction cubicle which approximately 3.6 height x 3.6 width x 3.6 depth.

6 DOCK CUBICLE INFLATABLE SEAL
Once again is installed in front of the cubicles as in 4, above.
The Inclusive Cubicle is a free (4) side ISO-Panel construction with insulated doors on either side and in the front.

DDL D.D.L. EQUIPMENT cc
HEAD OFFICE
P.O. Box 210, Strathaven, 2031
Tel : +27 11 443-4233
Fax : +27 11 862-6509
E-Mail : dd@icon.co.za
Web Site: www.ddl.co.za
Cell : 083 653 3872

THE BRIDGE THAT LINKS THE TOWN
DESIGN & LAYOUT

THE FINEST DOCK SEALING SYSTEMS PERFECTLY ADAPTED - to conserve energy by 75%

1 DOCK CUSHION SEAL

Ideal sealing for distribution vehicles of uniform size and trucks fitted with roll up over doors. The trucks reverse up against and depress the cushion to form a perfect seal.

Mounting: The Dock Cushion Seal must be mounted onto a sturdy steel or concrete structure.

2 DOCK SHELTER - WEATHER GUARD

Consists of overlapping rubber flaps linked together. The rubber flaps are flexible and yield to the shape and envelop the reversing truck, giving protection against the weather and outside elements.

Mounting: To a 600mm, three sided steel projection canopy.

3 DOCK SHELTER - CONTACT CURTAIN SEAL

Consisting of one (1) top and two (2) side contact curtains, which wrap around the reversing truck, sealing off the top and sides. The unique spring inserts press the curtains firmly against trucks of various sizes. The bottom corners are sealed by filler cushionpads. Added advantage is a larger despatch door \pm 2800 x 2800, the double rear truck doors can be opened into the warehouse.

Mounting: To a dock shelter with a 800mm ISO-panel projection, three sided airlock canopy will offer the most economical seal.

4 DOCK SHELTER - INFLATABLE SEAL

The ultimate seal, Consists of one (1) top and two (2) side bellows which inflate once the high volume, low pressure motor/fan is switched on. The inflatable seals expand, forming the shape and moulds around the outside of the truck affording a perfect seal with all shapes and sizes of vehicles. The bellows retract once the fan is switched off.

Mounting: To a dock shelter with a 800mm ISO-panel projection, three sided airlock canopy will offer the ultimate seal.

DOCK CUBICLE

In keeping with International trends where Docking Equipment is situated outside the warehouse in the form of an airlock Dock Cubicle, whether on a steel free standing or concrete base, this is to accommodate the Dock Levellers, tail lifts and allow the trucks double rear doors to be opened once the vehicle has reversed into and against the cubicle. A four page description of the Dock Cubicle is available.

5 DOCK CUBICLE CONTACT CURTAIN SEAL

Is installed in front of the cubicle as in three (3). above and is made of ISO-panel three sided construction cubicle which approximately 3.6 height x 3.6 width x 3.6 depth.

DOCK CUBICLE INFLATABLE SEAL

Once again is installed in front of the cubicle as in 4. above.

The **Isolation Cubicle** is a four (4) side ISO-Panel construction with insulated doors on either side and in the front.




D.D.L. EQUIPMENT cc
HEAD OFFICE

P.O. Box 210, Strathavon, 2031
Tel : +27 11 443-4233
Fax : +27 11 882-4569
E-Mail : ddl@icon.co.za
Web Site : www.ddl.co.za
Cell : 083 653 3872



DOCK
DESIGN & LAYOUT

"The Bridge That Links The Total Materials Handling Systems Together"



REPLY LETTER
or
FAX BACK
or
e-mail ddl@icon.co.za

(information to be mailed back to ...)

Company: -----
 Postal address: -----
 ----- Code: -----
 Tel No: -----
 Fax: -----
 Date: -----

Please complete and fax back to:

Fax: +27 11 882-4569
Tel: +27 11 443-4233
Cell: 083 653 3872

For more information please view our Web Site:
www.ddl.co.za

PO Box 210
Strathavon
2031

Attention: The Secretary

We are interested in the following Docking Equipment

Please tick off your requirements

DOCKING EQUIPMENT

- Dock Leveller
- Retrofit
- Truck Wheel Guides
- Mini Docks
- Free Standing Units
- Dock Rubber Bumpers
- 5th Wheel Dock Leveller
- Safety Container Leg
- Trailer Leg Stand
- Safety Wheel Chocks
- Truck Restraint

DOCKING SEALING SYSTEMS

- Dock Cushion Seals
- Dock Contact Curtain
Seals
- Dock Inflatable Seals
- Dock Lights
- Door Strip Curtains
- Dock Cubicles

HIGH SPEED DOORS

- Bernos PT-20
- Bernos PT-25
- Negeco Agro 5/Labo 5
- Nergeco Forum Star
Roll-up
- Nergeco Trekking Star
Fold-Up
- Nergeco Trekking Star
- Enduro Fold-Up

SECTIONAL DOORS

- Aluminium - Dry
Freight
- Aluminium - Insulated
- Steel - Dry Freight
- Steel - Insulated
- Cold saver 50mm -
insulated

SWING DOORS

- Single Leaf
- Double Leaf
- Door Frame

ALLIED PRODUCTS

- Scissor Lift Table
- Stationery Elevating
Dock
- Aluminium Truck -
Dock Plate
- Aluminium Adjustable
Hinge Dock Plate
- Aluminium Dock Board
- Portable Container
Yard Ramp

COLUMN LIFT: SERIES

- Portable Elevating
Dock Lift
- Stationery Elevating
Dock Lift
- Wheel Chair Lift
- Goods Hoist Lift
- Dumb Waiter Lift
- Stacker Lift

We look forward to receiving the above information

Print Name: -----

Postition: ----- Signature: -----