

• Elegant, SABS compliant and technically correct



Features & Benefits

- Elegant finish yet technically correct
- SABS 0252/2 compliant for Single Stack plumbing systems
- 75mm water seal prevents evaporation of trap
- 1st Fix and 2nd Fix supplied separately
- Stainless Steel, Chrome or 15 colours of grate
- High Flow Rate drains @ 38litres per minute
- Standard Water proofing Flange which accepts cementitious or torch-on waterproofing
- Removable "bottle trap" parts for easy access maintenance
- Suitable for showers, bathroom & kitchen floors etc
- Height and square adjustable
- Temporary protection covers for construction



Product Description

WetFloor Drain is sold in two parts called:
First Fix Pack and Second Fix Pack

First Fix Pack is fitted at an early stage of construction and comprises of:

- F-Box which is fitted to the waste pipe and usually set into the concrete
- Optional Flange which accepts cementitious or torch-on waterproofing
- Round Protection Cover for use during construction

Second Fix Pack is fitted much later on, just before tiling. It comprises:

- 110mm Spigot, an adjustable grate holder, is pushed into the F-Box just before tiling
- Well & Well cap for the water seal, Square protection cover for grate
- Grate which is fitted just after tiling


Architects Specification

- Provide WetFloor 1st Fix Pack 097710
- Provide WetFloor 2nd Fix Pack 0977xx
- Fit F-Box to shower waste pipe in concrete slab with water proofing flange set flush with top of concrete
- Water proof shower cubicle and dress onto flange
- Fit second fix Spigot & Grate to finished floor height
- Square up grate and tile flush with top of grate
- Fit Well & Well Cap for odour seal
- Always use temporary red protection covers during construction



First Fix Packs


50mm Side Outlet



- Can be used with water proofing flange or rubber ring seal
- Includes temporary protection cover for use during construction

097710


50mm F-Box Bottom Outlet



- Can be used with water proofing flange or rubber ring seal
- Includes temporary protection cover for use during construction

097744


75mm Side Outlet



- Standard Profile F-Box
- Can be used with water proofing flange or rubber ring seal
 - Includes temporary protection cover for use during construction

097745

75mm F-Box Bottom Outlet



- Can be used with water proofing flange or rubber ring seal
- Includes temporary protection cover for use during construction

097746

Second Fix Packs



- Fits into First Fix F-Box
- Height adjustable to allow for screed 15mm to 80mm
- Can be squared up to suit tiling
- All colours are supplied with matching Spigot & Grate
- 110mm Spigot is height adjustable 15 - 80mm

Second Fix Packs Cont.

Stainless/Steel Square Holes



Second Fix Pack

- Stainless Grate with Square Holes
- 110mm Spigot

097727

Stainless/Steel Round Holes



Second Fix Pack

- Stainless Grate with Round Holes
- 110mm Spigot

097726

Chrome




Second Fix Pack

- Chrome Grate
- 110mm Spigot

097728

WetFloor Drains are supplied with temporary protection covers for use during construction

Second Fix Pack in 15 Colours, Stainless Steel & Chrome



White
097711



Light Grey
097712



Dark Grey
097713




Charcoal
097714



Ivory
097715



Travertine
097716



Cream
097717



Beige
097718



Caramel
097719



Mustard
097720



Light Brown
097721



Terracotta
097722




Dark Brown
097723




Olive Green
097724



Royal Blue
097725



S/S Round
097726



S/S Square
097727



Chrome
097728